

**Buchanan Ingersoll & Rooney PC**  
Attorneys & Government Relations Professionals

Suite 500  
1737 King Street  
Alexandria, Virginia 22314-2727  
Telephone: +1.703.836.6620  
Group 3 Fax: +1.703.836.2021  
Group 4 Fax: +1.703.836.0028  
www.buchananingersoll.com

**RECEIVED**  
**CENTRAL FAX CENTER****AUG 24 2006****Facsimile Cover**

The information contained in this facsimile message is or may be attorney-client privileged and contains confidential information intended only for the use of the recipient(s) named below and others expressly authorized to receive it. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this message is prohibited and you are asked to notify us immediately by telephone and to return this message to us by mail without copying it. Any questions regarding compatibility should be directed to our Office Services Department at +1.703.836.6620.

Date: August 24, 2006

**TO: EXAMINER IGOR KERSHTEYN****Fax Number: 571 273 8300****Company: US PATENT OFFICE****Telephone:****Your Reference: SERIAL NO. 10/790,753****FROM: ALAN E. KOPECKI****Telephone: 703 838 6542****Our Reference: 1033018-000138****Sent By: MH****Number of Pages ( 13 )**  
**Including Cover:**

Message

PER OUR TELECON -- PROPOSED RESPONSE .

Patent  
Attorney's Docket No. 1033018-000138

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**In re Patent Application of**

Gary E. Grollmund et al.

**Application No.: 10/790,753**

**Filed: March 3, 2004**

For: PISTON PUMP USEFUL FOR  
AEROSOL GENERATION

MAIL STOP/AF

Group Art Unit: 3745

Examiner: IGOR KERSHTEYN

**Confirmation No.: 2906**

RECEIVED  
CENTRAL FAX CENTER

**AUG 24 2008**

**DRAFT**

## PROPOSED AMENDMENT AFTER FINAL REJECTION

**Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450**

Sir:

In response to the Office Action dated February 28, 2006, please amend the above-identified patent application as follows: